according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 235

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone num: +49 8142 3051 517

ber

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Mineral oil.

Metal powder

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10
2,5-bis(tert- nonyldithio)-1,3,4- thiadiazole	89347-09-1 289-493-3	Aquatic Chronic3; H412		>= 1 - < 2,5
Substances with a work	place exposure limit:			
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 30 - < 50
Distillates (petroleum), solvent-dewaxed	64742-65-0 265-169-7	Not classified		>= 30 - < 50



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 235**

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

heavy paraffinic; Baseoil — unspecified	649-474-00-6 01-2119471299-27- XXXX		Note L	
aluminium powder (stabilised)	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45- XXXX	Flam. Sol.1; H228	Note T	>= 1 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides
Nitrogen oxides (NOx)

Sulphur oxides

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
distillates (petrole-	64742-54-7	AGW (Vapour	5 mg/m3	DE TRGS
um), hydrotreated		and aerosols)		900
heavy paraffinic				(2018-06-07)
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
			compliance with the OEL a	nd biological
	tolerance valu	ies, there is no risk c	of harming the unborn child	
Distillates (petrole-	64742-65-0	AGW (Vapour	5 mg/m3	DE TRGS
um), solvent-		and aerosols)		900
dewaxed heavy				(2018-06-07)
paraffinic; Baseoil				
— unspecified				
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
aluminium powder	7429-90-5	AGW (Inhalable	10 mg/m3	DE TRGS
(stabilised)		fraction)		900
				(2014-04-02)
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		AGW (Alveolate	1,25 mg/m3	DE TRGS



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 235**

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

		fraction)		900 (2014-04-02)
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

## **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
aluminium powder (stabi-	7429-90-5	Aluminium: 50 μg/g	In case of long-	TRGS 903
lised)		creatinine	term exposure:	(2019-03-
		(Urine)	after more than	29)
			one shift	

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3,72 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,72 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hy-	Oral	9,33 mg/kg
drotreated heavy paraffinic		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

#### 8.2 Exposure controls

## **Engineering measures**

none

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : butyl-rubber Break through time : > 10 min



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : silver

Odour : fatty odour, slight

Odour Threshold : No data available

Drop point : 110 °C

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,92 (20 °C)

Reference substance: Water The value is calculated

Density : 0,92 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 235**

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

## 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

# **Components:**

Kaolin, calcined:

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific

target organ toxicant, single exposure, category 3 with respira-

tory tract irritation.

#### 2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

#### distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

aluminium powder (stabilised):

Acute inhalation toxicity : LC50 (Rat): > 5,09 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

**Components:** 

Kaolin, calcined:

Result : Repeated exposure may cause skin dryness or cracking.

distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 235**

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

#### aluminium powder (stabilised):

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

# Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

Kaolin, calcined:

Result : Irritating to eyes.

#### distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

## Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

## aluminium powder (stabilised):

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

## Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

# **Components:**

## distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

aluminium powder (stabilised):

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals. Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Genotoxicity in vitro : Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Species: Mouse

**Application Route: Oral** 

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assess-

: Not classifiable as a human carcinogen.

ment

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Mouse

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

Application Route : Dermal

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - As- : - Fertility -

sessment No toxicity to reproduction

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Effects on foetal develop-

ment

Species: Rat

**Application Route: Dermal** 

General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight

Method: OECD Test Guideline 414

STOT - single exposure

**Components:** 

Kaolin, calcined:

Exposure routes : Inhalation

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

11.2 Information on other hazards

**Endocrine disrupting properties** 

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

**Components:** 

2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:

Toxicity to fish : LC50 (Fish): > 10 - 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 : > 10 - 100 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: 10 mg/l

Exposure time: 21 d

ic toxicity) Species: Daphnia magna (Water flea)

aluminium powder (stabilised):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,12 mg/l

Exposure time: 96 h Test Type: static test

Remarks: No toxicity at the limit of solubility

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 2.3 20.12.2022 Date of first issue: 23.06.2016 20.12.2022

**Ecotoxicology Assessment** 

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

12.2 Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical removabil- : Remarks: No data available

Components:

2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:

Biodegradability : Result: Not readily biodegradable.

distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

12.3 Bioaccumulative potential

Product:

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-

octanol/water

: log Pow: > 2



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

#### 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### **Components:**

distillates (petroleum), hydrotreated heavy paraffinic:

Assessment : Non-classified vPvB substance, Non-classified PBT substance

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: No information on ecology is available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated

by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

## 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

# 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import of dangerous chemicals

(EU PIC)

Regulation (EU) 2019/1148 on the marketing and use of :

explosives precursors

This product is regulated by Regulation (EU) 2019/1148:

all suspicious transactions, and significant disappear-

: Not applicable

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Not applicable

Not applicable

Not applicable

Not applicable

Listed

aluminium powder (stabilised)

(ANNEX II)



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

ances and thefts should be reported to the relevant na-

tional contact point. Please see

https://ec.europa.eu/home-affairs/sites/ homeaf-

fairs/files/what-we-do/policies/crisis-and-

terrorism/explosives/explosives-

precur-

sors/docs/list\_of\_competent\_authorities\_and\_national\_c

ontact\_points\_en.pdf

Seveso III: Directive 2012/18/EU of the European : Not applicable

Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Water hazard class (Germa:

: WGK 1 slightly hazardous to water

y) Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

others: 6,74 %

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances: portion Class 1: 0,43 %

others: 73,07 %

Carcinogenic substances:

Not applicable Mutagenic: Not applicable Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

# **SECTION 16: Other information**

## **Full text of H-Statements**

EUH066 : Repeated exposure may cause skin dryness or cracking.

H228 : Flammable solid.

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

H412 : Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

Version Revision Date: Date of last issue: 12.07.2021 Print Date: 23.06.2016 20.12.2022

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard

class

Note T : This substance may be marketed in a form which does not

have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be in-

cluded in the safety data sheet.

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



**OKS 235** 

VersionRevision Date:Date of last issue: 12.07.2021Print Date:2.320.12.2022Date of first issue: 23.06.201620.12.2022

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.