

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 1103

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact : EagleBurgmann Hungaria Kft.  
Népfürdő utca 22  
1138 Budapest  
Hungary  
Tel.: +36 1 814 8160  
Fax: +36 1 319 8125  
info.hu@eagleburgmann.com

### 1.4 Emergency telephone number

Emergency telephone num-  
ber : 0049 (0) 8142-3051-517  
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)  
H-1096 Budapest, Nagyvárad tér 2.  
Tel: +36 1 476 6464, +36 80 201 199

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P273 Avoid release to the environment. <b>Response:</b> P391 Collect spillage.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : silicone oil  
Thickening agent

### Components

Chemical name	CAS-No. EC-No.	Classification	specific concentration limit	Concentration (% w/w)
---------------	-------------------	----------------	------------------------------	-----------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version 1.3      Revision Date: 15.07.2022      Date of last issue: 01.08.2019      Print Date: 15.07.2022  
Date of first issue: 10.06.2016

	Index-No. Registration number		M-Factor Notes Acute toxicity estimate	
zinc oxide	1314-13-2 215-222-5  030-013-00-7 01-2119463881-32-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 30 - < 50$
zinc carbonate	3486-35-9 222-477-6	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 2,5 - < 10$
Substances with a workplace exposure limit :				
magnesium oxide	1309-48-4 215-171-9	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version 1.3      Revision Date: 15.07.2022      Date of last issue: 01.08.2019  
Date of first issue: 10.06.2016

Print Date:  
15.07.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
zinc oxide	1314-13-2	TWA (Dust)	5 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Substances which have a health hazard due to SHORT exposure. Corrected value = TWA x 8 / number of hours per day, Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			
		TWA (Fumes)	5 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Substances which have a health hazard due to SHORT exposure. Corrected value = TWA x 8 / number of hours per day, Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			
magnesium oxide	1309-48-4	TWA (respirable fraction)	6 mg/m <sup>3</sup> (Magnesium)	HU OEL (2020-02-06)
	Further information: Substances which have a health hazard due to SHORT exposure. Corrected value = TWA x 8 / number of hours per day, Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
zinc oxide	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	0,5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	83 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
zinc oxide	Fresh water	0,0206 mg/l
	Marine water	0,0061 mg/l
	Microbiological Activity in Sewage Treatment Systems	0,100 mg/l
	Fresh water sediment	117,8 mg/kg
	Marine sediment	56,5 mg/kg
	Soil	35,6 mg/kg

## 8.2 Exposure controls

### Engineering measures

none

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : paste
- Colour : white
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flammability (solid, gas) : Combustible Solids
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point : Not applicable
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version 1.3	Revision Date: 15.07.2022	Date of last issue: 01.08.2019 Date of first issue: 10.06.2016	Print Date: 15.07.2022
----------------	------------------------------	---	---------------------------

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,55 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1,55 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

>150 °C small quantities of formaldehyde may be formed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **zinc oxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

##### **zinc carbonate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

### magnesium oxide:

Acute oral toxicity : LD50 (Rat, male): 3.870 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### zinc oxide:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### zinc oxide:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

##### zinc carbonate:

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### zinc oxide:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version 1.3	Revision Date: 15.07.2022	Date of last issue: 01.08.2019 Date of first issue: 10.06.2016	Print Date: 15.07.2022
----------------	------------------------------	---	---------------------------

Result : Does not cause skin sensitisation.  
GLP : yes

### **zinc carbonate:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

#### **Components:**

##### **zinc oxide:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Remarks : No data available

#### **Components:**

##### **zinc oxide:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

#### **Product:**

Effects on fertility : Remarks: No data available  
Effects on foetal development : Remarks: No data available

#### **Components:**

##### **zinc oxide:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

No toxicity to reproduction

### STOT - single exposure

#### Components:

##### zinc oxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### zinc oxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### zinc oxide:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

- Toxicity to fish : Remarks: May cause long-term adverse effects in the aquatic environment.
- Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available
- Toxicity to algae/aquatic plants : Remarks: No data available
- Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **zinc oxide:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,55 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,136 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 0,04 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

M-Factor (Chronic aquatic toxicity) : 1

### **zinc carbonate:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0,147 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### **Components:**

#### **zinc oxide:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

### **Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### **Components:**

#### **magnesium oxide:**

Partition coefficient: n-octanol/water : Remarks: Not applicable

## 12.4 Mobility in soil

### **Product:**

Mobility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **zinc oxide:**

Assessment : Remarks: Not applicable

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version 1.3	Revision Date: 15.07.2022	Date of last issue: 01.08.2019 Date of first issue: 10.06.2016	Print Date: 15.07.2022
----------------	------------------------------	---	---------------------------

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated  
by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3077  
ADR : UN 3077  
RID : UN 3077  
IMDG : UN 3077  
IATA : UN 3077

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(zinc oxide)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(zinc oxide)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(zinc oxide)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(zinc oxide)

IATA : Environmentally hazardous substance, solid, n.o.s.  
(zinc oxide)

### 14.3 Transport hazard class(es)

ADN : 9  
ADR : 9  
RID : 9  
IMDG : 9  
IATA : 9

### 14.4 Packing group

ADN



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : E1 ENVIRONMENTAL HAZARDS
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

#### Other regulations:

2000 XXV. Law on chemical safety

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

HU OEL : Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values  
HU OEL / TWA : Mean concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 1103

Version	Revision Date:	Date of last issue: 01.08.2019	Print Date:
1.3	15.07.2022	Date of first issue: 10.06.2016	15.07.2022

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Calculation method
Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.