

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 200

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

|                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard pictograms        | : |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Signal word              | : | Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Hazard statements        | : | H315 Causes skin irritation.<br>H318 Causes serious eye damage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Precautionary statements | : | <b>Prevention:</b><br>P264 Wash skin thoroughly after handling.<br>P280 Wear protective gloves/ eye protection/ face protection.<br><b>Response:</b><br>P302 + P352 IF ON SKIN: Wash with plenty of water.<br>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.<br>P332 + P313 If skin irritation occurs: Get medical advice/ attention.<br>P362 + P364 Take off contaminated clothing and wash it before reuse. |

### Hazardous components which must be listed on the label:

calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

Version 2.7      Revision Date: 25.10.2023      Date of last issue: 14.11.2022      Print Date: 25.10.2023  
Date of first issue: 28.06.2016

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Molybdenum disulfide  
graphite  
Synthetic hydrocarbon oil

#### Components

| Chemical name                                | CAS-No.<br>EC-No.<br><br>Index-No.<br>Registration number | Classification                                          | specific<br>concentration<br>limit<br>M-Factor<br>Notes<br>Acute toxicity<br>estimate | Concentration<br>(% w/w) |
|----------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------|
| calcium dihydroxide                          | 1305-62-0<br>215-137-3<br><br>01-2119475151-45-XXXX       | Skin Irrit.2; H315<br>Eye Dam.1; H318<br>STOT SE3; H335 |                                                                                       | $\geq 10 - < 20$         |
| Substances with a workplace exposure limit : |                                                           |                                                         |                                                                                       |                          |
| Graphite                                     | 7782-42-5<br>231-955-3                                    | Not classified                                          |                                                                                       | $\geq 1 - < 10$          |
| 1-Propene,<br>homopolymer                    | 9003-07-0                                                 | Not classified                                          |                                                                                       | $\geq 1 - < 10$          |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.

If swallowed : Move the victim to fresh air.  
Call a physician immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Give small amounts of water to drink.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:  
Erythema

Risks : corrosive effects  
Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus  
Metal oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                                                                                                                               | CAS-No.   | Value type (Form of exposure)                       | Control parameters   | Basis                    |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|----------------------|--------------------------|
| calcium dihydroxide                                                                                                                      | 1305-62-0 | AGWTime Weighted Average (Inhalable fraction)       | 1 mg/m <sup>3</sup>  | DE TRGS 900 (2014-12-08) |
| Peak-limit: excursion factor (category): 2;(I)                                                                                           |           |                                                     |                      |                          |
| Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |           |                                                     |                      |                          |
|                                                                                                                                          |           | TWALimit Value - eight hours (Respirable fraction)  | 1 mg/m <sup>3</sup>  | 2017/164/EU (2017-02-01) |
| Further information: Indicative                                                                                                          |           |                                                     |                      |                          |
|                                                                                                                                          |           | STELShort term exposure limit (Respirable fraction) | 4 mg/m <sup>3</sup>  | 2017/164/EU (2017-02-01) |
| Further information: Indicative                                                                                                          |           |                                                     |                      |                          |
| Graphite                                                                                                                                 | 7782-42-5 | AGWTime Weighted Average (Inhalable fraction)       | 10 mg/m <sup>3</sup> | DE TRGS 900 (2014-04-02) |
| Peak-limit: excursion factor (category): 2;(II)                                                                                          |           |                                                     |                      |                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

Version 2.7      Revision Date: 25.10.2023      Date of last issue: 14.11.2022      Print Date: 25.10.2023  
Date of first issue: 28.06.2016

|                        |                                                                                                                                          |                                               |            |                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------|--------------------------|
|                        | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                                               |            |                          |
|                        |                                                                                                                                          | AGWTime Weighted Average (Alveolate fraction) | 1,25 mg/m3 | DE TRGS 900 (2014-04-02) |
|                        | Peak-limit: excursion factor (category): 2;(II)                                                                                          |                                               |            |                          |
|                        | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                                               |            |                          |
|                        |                                                                                                                                          | BMAssessment scale (Alveolar dust fraction)   | 0,5 mg/m3  | DE TRGS 527 (2020-02-19) |
| 1-Propene, homopolymer | 9003-07-0                                                                                                                                | AGWTime Weighted Average (Inhalable fraction) | 10 mg/m3   | DE TRGS 900 (2020-03-30) |
|                        | Peak-limit: excursion factor (category): 2;(II)                                                                                          |                                               |            |                          |
|                        | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                                               |            |                          |
|                        |                                                                                                                                          | AGWTime Weighted Average (Alveolate fraction) | 1,25 mg/m3 | DE TRGS 900 (2020-03-30) |
|                        | Peak-limit: excursion factor (category): 2;(II)                                                                                          |                                               |            |                          |
|                        | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                                               |            |                          |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                      | End Use | Exposure routes | Potential health effects   | Value             |
|-----------------------------------------------------|---------|-----------------|----------------------------|-------------------|
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Workers | Inhalation      | Long-term systemic effects | 2,2 mg/m3         |
|                                                     | Workers | Skin contact    | Long-term systemic effects | 3,15 mg/kg bw/day |
| calcium dihydroxide                                 | Workers | Inhalation      | Long-term local effects    | 1 mg/m3           |
|                                                     | Workers | Inhalation      | Acute local effects        | 4 mg/m3           |
| Graphite                                            | Workers | Inhalation      | Long-term local effects    | 1,2 mg/m3         |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                      | Environmental Compartment | Value      |
|-----------------------------------------------------|---------------------------|------------|
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Fresh water               | 0,001 mg/l |
|                                                     | Intermittent use/release  | 0,001 mg/l |
|                                                     | Marine water              | 0 mg/l     |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

Version 2.7      Revision Date: 25.10.2023      Date of last issue: 14.11.2022      Print Date: 25.10.2023  
Date of first issue: 28.06.2016

|                     |                                                      |            |
|---------------------|------------------------------------------------------|------------|
|                     | Microbiological Activity in Sewage Treatment Systems | 2 mg/l     |
|                     | Fresh water sediment                                 | 16,5 mg/kg |
|                     | Marine sediment                                      | 1,65 mg/kg |
|                     | Soil                                                 | 3,7 mg/kg  |
| calcium dihydroxide | Fresh water                                          | 0,49 mg/l  |
|                     | Marine water                                         | 0,32 mg/l  |
|                     | Intermittent use/release                             | 0,49 mg/l  |
|                     | Microbiological Activity in Sewage Treatment Systems | 3 mg/l     |
|                     | Soil                                                 | 1080 mg/kg |

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Physical state : paste

Colour : black

Odour : hydrocarbon-like

Odour Threshold : No data available

  

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

  

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

  

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,20 (20 °C)  
Reference substance: Water  
The value is calculated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Density : 1,20 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics  
Particle size : Not applicable

Particle Size Distribution : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

- Acute oral toxicity : Symptoms: Pain, Stomach/intestinal disorders
- Acute inhalation toxicity : Remarks: Risk of delayed pulmonary oedema.  
Effects of breathing high concentrations of vapour may include:  
Irritating to respiratory system.
- Acute dermal toxicity : Symptoms: Blistering, Redness, Local irritation

##### Components:

##### **calcium dihydroxide:**

- Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
GLP: yes
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Graphite:**

- Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

#### Skin corrosion/irritation

##### Product:

- Remarks : Causes skin burns.  
Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

### Components:

#### calcium dihydroxide:

Species : human skin  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 431  
Result : Irritating to skin.  
GLP : yes

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : yes

#### Serious eye damage/eye irritation

### Product:

Remarks : Causes eye burns.

### Components:

#### calcium dihydroxide:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.  
GLP : yes

#### Respiratory or skin sensitisation

### Product:

Remarks : This information is not available.

### Components:

#### calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### calcium dihydroxide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### calcium dihydroxide:

Reproductive toxicity - : - Fertility -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Assessment  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### STOT - single exposure

#### Product:

Remarks : No data available

#### Components:

##### calcium dihydroxide:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

#### Product:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.  
Ingestion causes burns of the upper digestive and respiratory tracts.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **calcium dihydroxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49,1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### 12.2 Persistence and degradability

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **calcium dihydroxide:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **calcium dihydroxide:**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **Graphite:**

Partition coefficient: n-octanol/water : Remarks: No data available

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|                |                              |                                                                   |                           |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version<br>2.7 | Revision Date:<br>25.10.2023 | Date of last issue: 14.11.2022<br>Date of first issue: 28.06.2016 | Print Date:<br>25.10.2023 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

### 14.2 UN proper shipping name

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable
- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable
- Water hazard class (Germany) : WGK 2 obviously hazardous to water  
Classification according to AwSV, Annex 1 (5.2)
- TA Luft List (Germany) : 5.2.1: Total dust:  
others: 44,33 %  
5.2.2: Inorganic substances in powdered form:  
Not applicable  
5.2.4: Inorganic substances in gaseous form:  
Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

5.2.5: Organic Substances:  
Class 1: 3 %  
5.2.7.1.1: Carcinogenic substance:  
Not applicable  
5.2.7.1.1: Quartz fine dust PM4:  
Not applicable  
5.2.7.1.1: Formaldehyde:  
Not applicable  
5.2.7.1.1: fibres:  
Not applicable  
5.2.7.1.2: Germ cell mutagens:  
Not applicable  
5.2.7.1.3: Substances toxic to reproduction:  
Not applicable  
5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances:  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

### Full text of other abbreviations

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
2017/164/EU / STEL : Short term exposure limit  
2017/164/EU / TWA : Limit Value - eight hours  
DE TRGS 527 / BM : Assessment scale  
DE TRGS 900 / AGW : Time Weighted Average

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|               |      |
|---------------|------|
| Skin Irrit. 2 | H315 |
| Eye Dam. 1    | H318 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE  
(Commission Regulation (EU) 2020/878)



## OKS 200

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.11.2022  | Print Date: |
| 2.7     | 25.10.2023     | Date of first issue: 28.06.2016 | 25.10.2023  |

---

product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.