

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 245

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517  
Warszawa: +48 22 619 66 54

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Hazard pictograms :

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
Thickening agent

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version 3.0      Revision Date: 30.10.2023      Date of last issue: 13.10.2022      Print Date: 30.10.2023  
Date of first issue: 30.05.2016

copper	7440-50-8 231-159-6  029-019-01-X 01-2119480154-42-XXXX	Acute Tox.4; H302 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/10  ATE (Oral): 500 mg/kg; ATE (Inhalation): 0,733 mg/l;	$\geq 1 - < 2,5$
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	89347-09-1 289-493-3	Aquatic Chronic3; H412		$\geq 1 - < 2,5$
Substances with a workplace exposure limit :				
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	$\geq 30 - < 50$
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7  649-474-00-6 01-2119471299-27-XXXX	Not classified	Note L	$\geq 30 - < 50$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version 3.0      Revision Date: 30.10.2023      Date of last issue: 13.10.2022      Print Date: 30.10.2023  
Date of first issue: 30.05.2016

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m <sup>3</sup>	PL OEL (2021-02-19)
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	NDSMaximal Admissible Concentration (inhalable fraction)	5 mg/m <sup>3</sup>	PL OEL (2021-02-19)
copper	7440-50-8	NDSMaximal Admissible Concentration	0,2 mg/m <sup>3</sup> (Copper)	PL OEL (2018-07-07)

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

hydrotreated heavy paraffinic; Baseoil — unspecified		
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : red brown

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Odour : characteristic

Odour Threshold : No data available

: Not applicable

: Not applicable

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,95 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,95 g/cm<sup>3</sup>  
(20 °C)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Bulk density : No data available  
Relative vapour density : No data available  
Particle characteristics  
Particle size : Not applicable  
Particle Size Distribution : Not applicable

### 9.2 Other information

Explosives : Not explosive  
Oxidizing properties : No data available  
Self-ignition : not auto-flammable  
Metal corrosion rate : Not corrosive to metals  
Evaporation rate : No data available  
Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

##### Components:

##### **Kaolin, calcined:**

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **copper:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LD50 Oral (Rat): > 300 - 2.000 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: 0,733 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

#### **Kaolin, calcined:**

Result : Repeated exposure may cause skin dryness or cracking.

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

### Components:

#### **Kaolin, calcined:**

Result : Irritating to eyes.

#### **copper:**

Result : Eye irritation

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Mouse  
Application Route : Dermal  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

### **STOT - single exposure**

#### **Product:**

Remarks : No data available

#### **Components:**

##### **Kaolin, calcined:**

Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **STOT - repeated exposure**

#### **Product:**

Remarks : No data available

### **Repeated dose toxicity**

#### **Product:**

Remarks : This information is not available.

### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Components:**

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

---

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:**

**copper:**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Toxicity to fish : LC50 (Fish): > 10 - 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 : > 10 - 100 mg/l  
Exposure time: 72 h

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **copper:**

Biodegradability : Result: Not rapidly biodegradable

##### **2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:**

Biodegradability : Result: Not readily biodegradable.

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

---

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Partition coefficient: n-octanol/water : log Pow: > 2

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.
- Waste codes should be assigned by the user based on the application for which the product was used.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.
- The following Waste Codes are only suggestions:
- Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats
- uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- ADN : UN 3077
- ADR : UN 3077
- RID : UN 3077
- IMDG : UN 3077
- IATA : UN 3077

#### 14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

**IMDG** : N.O.S.  
: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(copper)

**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(copper)

### 14.3 Transport hazard class(es)

**ADN** : 9  
**ADR** : 9  
**RID** : 9  
**IMDG** : 9  
**IATA** : 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 956

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75  
copper (Number on list 75)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

### Other regulations:

Act of February 25, 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2020, item 2289)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)  
Ordinance of the Minister of Family, Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).  
Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 with later amendments).  
Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (consolidated text, Journal of Laws 2016 no. 0 item 1488)  
Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).  
Act of 13 June 2013. On packaging and packaging waste (Journal. U. of 2013. Item. 888, as amended).  
Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).  
Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)  
Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).  
Government Statement of February 15, 2021 on the entry into force of amendments to Annexes A and B to Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws 202 poz.874 as amended)  
Act of July 29, 2005 on drug addiction prevention (Journal of Laws of 2005, No. 179, item 1485, with later amendments)  
Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

EUH066 : Repeated exposure may cause skin dryness or cracking.  
H302 : Harmful if swallowed.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

- Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- PL OEL : Poland. Occupational exposure limits for airborne toxic substances
- PL OEL / NDS : Maximal Admissible Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 2

H411

#### Classification procedure:

Calculation method



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 245

Version	Revision Date:	Date of last issue: 13.10.2022	Print Date:
3.0	30.10.2023	Date of first issue: 30.05.2016	30.10.2023

---

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.