

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2531

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Anticorrosion additive

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone num- : +34 91 562 04 20  
ber

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin irritation, Category 2 H315: Causes skin irritation.

**Eye irritation, Category 2 H319: Causes serious eye irritation.**

Specific target organ toxicity - single ex- H335: May cause respiratory irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

posure, Category 3, Respiratory system

Specific target organ toxicity - repeated exposure, Category 2, hearing organs

H373: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements :

<b>Prevention:</b>	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe mist.
<b>Response:</b>	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
<b>Storage:</b>	
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### Hazardous components which must be listed on the label:

xylene

ethylbenzene

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Active substance with propellant  
Solvent  
Metal powder

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
xylene	1330-20-7 215-535-7  601-022-00-9	Flam. Liq.3; H226 Acute Tox.4; H332 Acute Tox.4; H312 Skin Irrit.2; H315 Asp. Tox.1; H304	Note C	>= 30 - < 50
acetone	67-64-1 200-662-2  606-001-00-8 01-2119471330-49-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 1 - < 10
ethylbenzene	100-41-4, 100-41-4 202-849-4	Flam. Liq.2; H225 Acute Tox.4; H332 STOT RE2; H373		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version 4.0      Revision Date: 20.05.2022      Date of last issue: 11.05.2021      Print Date: 25.05.2022  
Date of first issue: 28.06.2016

	601-023-00-4	Asp. Tox.1; H304		
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3  030-001-01-9 01-2119467174-37-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 0,25 - < 1$
Substances with a workplace exposure limit :				
propane	74-98-6 200-827-9  601-003-00-5 01-2119486944-21-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	$\geq 20 - < 30$
butane	106-97-8 203-448-7  601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 10 - < 20$
isobutane	75-28-5 200-857-2  601-004-00-0 01-2119485395-27-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.

If swallowed : Move the victim to fresh air.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Obtain medical attention.  
Rinse mouth with water.  
Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema

Aspiration may cause pulmonary oedema and pneumonitis.

Risks : Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.  
Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

- Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
xylene	1330-20-7	VLA-ED	50 ppm 221 mg/m <sup>3</sup>	ES VLA (2011-03-03)
		Further information: Skin		
		VLA-EC	100 ppm 442 mg/m <sup>3</sup>	ES VLA (2011-03-03)
		Further information: Skin		
		TWA	50 ppm	2000/39/EC

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version  
4.0

Revision Date:  
20.05.2022

Date of last issue: 11.05.2021  
Date of first issue: 28.06.2016

Print Date:  
25.05.2022

			221 mg/m <sup>3</sup>	(2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	100 ppm 442 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
acetone	67-64-1	TWA	500 ppm 1.210 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Indicative			
		VLA-ED	500 ppm 1.210 mg/m <sup>3</sup>	ES VLA (2011-03-03)
ethylbenzene	100-41-4	TWA	100 ppm 442 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	200 ppm 884 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		VLA-ED	100 ppm 441 mg/m <sup>3</sup>	ES VLA (2015-02-19)
	Further information: Skin			
		VLA-EC	200 ppm 884 mg/m <sup>3</sup>	ES VLA (2015-02-19)
	Further information: Skin			

### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
xylene	1330-20-7	methylhippuric acids: 1.5 g/g creatinine (Urine)	end of shift	ES VLB (2011-03-03)
		methylhippuric acids: 1 g/g creatinine (Urine)	End of workday	ES VLB (2014-01-01)
acetone	67-64-1	Acetone: 50 mg/l (Urine)	End of workday	ES VLB (2011-03-03)
ethylbenzene	100-41-4	sum of mandelic acid and phenylglyoxilic acid: 700 mg/g Creatinine (Urine)	At the end of the work week	ES VLB (2015-02-01)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version 4.0      Revision Date: 20.05.2022      Date of last issue: 11.05.2021      Print Date: 25.05.2022  
Date of first issue: 28.06.2016

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	83 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
zinc powder — zinc dust (stabilised)	Fresh water	0,0206 mg/l
	Fresh water sediment	235,6 mg/kg
	Marine water	0,0061 mg/l
	Marine sediment	121 mg/kg
	Microbiological Activity in Sewage Treatment Systems	0,052 mg/l
	Soil	106,8 mg/kg

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Fluorinated rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Respirator with combination filter for vapour/particulate (EN 141)  
Short term only

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Filter type : ABEK-P3-filter

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol

Colour : silver

Odour : characteristic

Odour Threshold : No data available

  

Melting point/range : No data available

Boiling point/boiling range : -161 °C (1.013 hPa)

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : 10,9 %(V)

Lower explosion limit / Lower flammability limit : 1,1 %(V)

Flash point : -60 °C  
Method: Abel-Pensky

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

  

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 20,5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)

Water solubility : insoluble

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 5.500 hPa (20 °C)

Relative density : 0,66 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,66 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.  
Risk of receptacle bursting.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : LC50 (Rat): > 1,0 - 5 mg/l  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Remarks: Harmful by inhalation.  
Irritating to respiratory system.

Symptoms: Inhalation may provoke the following symptoms:  
Respiratory disorder, Local irritation, Respiratory disorders

Acute dermal toxicity : Symptoms: Redness, Local irritation

Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

##### Components:

##### **xylene:**

Acute inhalation toxicity : LC50 (Rat): 21 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 Dermal (Rat): > 1.000 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

##### **acetone:**

Acute oral toxicity : LD50 Oral (Rat): 5.800 mg/kg

##### **ethylbenzene:**

Acute inhalation toxicity : (Rat): 17,5 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Exposure time: 4 h

### **zinc powder — zinc dust (stabilised):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

### **butane:**

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### **isobutane:**

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### **Skin corrosion/irritation**

#### **Product:**

Remarks : Irritating to skin.

#### **Components:**

##### **xylene:**

Result : Severe skin irritation

##### **acetone:**

Result : Repeated exposure may cause skin dryness or cracking.

### **zinc powder — zinc dust (stabilised):**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### Serious eye damage/eye irritation

#### Product:

Result : Eye irritation  
Remarks : Irritating to eyes.

#### Components:

##### **acetone:**

Species : Rabbit  
Result : Eye irritation

##### **zinc powder — zinc dust (stabilised):**

Species : Rabbit  
Exposure time : 24 h  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **zinc powder — zinc dust (stabilised):**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **zinc powder — zinc dust (stabilised):**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### **zinc powder — zinc dust (stabilised):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **zinc powder — zinc dust (stabilised):**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### STOT - single exposure

#### Product:

Exposure routes : Inhalation  
Assessment : May cause respiratory irritation.

#### Components:

##### **acetone:**

Exposure routes : Inhalation  
Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

#### Product:

Target Organs : hearing organs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### Components:

#### **ethylbenzene:**

Target Organs : hearing organs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### **Repeated dose toxicity**

#### Product:

Remarks : This information is not available.

### Components:

#### **ethylbenzene:**

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### **Aspiration toxicity**

#### Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

### Components:

#### **xylene:**

May be fatal if swallowed and enters airways.

#### **ethylbenzene:**

May be fatal if swallowed and enters airways.

#### **zinc powder — zinc dust (stabilised):**

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022
----------------	------------------------------	---	---------------------------

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **zinc powder — zinc dust (stabilised):**

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 0,727 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,937 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022
----------------	------------------------------	---	---------------------------

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### **acetone:**

Biodegradability : Result: rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **acetone:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 0,2

##### **propane:**

Partition coefficient: n-octanol/water : log Pow: 2,36

##### **butane:**

Partition coefficient: n-octanol/water : log Pow: 2,89  
Method: OECD Test Guideline 107

##### **isobutane:**

Partition coefficient: n-octanol/water : log Pow: 2,88  
Method: OECD Test Guideline 107

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied  
16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022
----------------	------------------------------	---	---------------------------

**ADR** : UN 1950  
**RID** : UN 1950  
**IMDG** : UN 1950  
**IATA** : UN 1950

### 14.2 UN proper shipping name

**ADR** : AEROSOLS  
**RID** : AEROSOLS  
**IMDG** : AEROSOLS  
**IATA** : Aerosols, flammable

### 14.3 Transport hazard class(es)

**ADR** : 2  
**RID** : 2  
**IMDG** : 2.1  
**IATA** : 2.1

### 14.4 Packing group

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Hazard Identification Number : 23  
Labels : 2.1

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- |  |   |
|--|---|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : Conditions of restriction for the following entries should be considered:<br>xylene (Number on list 3)<br>ethylbenzene (Number on list 3) |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)  | : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).                         |
| REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)  | : Not applicable  |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)   | : Not applicable  |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)   | : Not applicable  |
| Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)    | : xylene<br>ethylbenzene  |
| Regulation (EU) 2019/1148 on the marketing and use of explosives precursors  | : Listed  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

This product is regulated by Regulation (EU) 2019/1148: acetone (ANNEX II)  
all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see  
[https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf)

: P5c

P2

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3a FLAMMABLE AEROSOLS

18 Liquefied extremely flammable gases (including LPG) and natural gas

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 99,5 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

## 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

EUH066	: Repeated exposure may cause skin dryness or cracking.
H220	: Extremely flammable gas.
H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H280	: Contains gas under pressure; may explode if heated.
H304	: May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

H312 : Harmful in contact with skin.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H332 : Harmful if inhaled.  
H336 : May cause drowsiness or dizziness.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U (table 3.1) : When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

ES VLA : Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values

ES VLB : Occupational Exposure Limits for Chemical Agents in Spain - Biological Exposure Values

2000/39/EC / TWA : Limit Value - eight hours  
2000/39/EC / STEL : Short term exposure limit  
ES VLA / VLA-ED : Environmental Daily Limit Value  
ES VLA / VLA-EC : Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aerosol 1	H222, H229
Acute Tox. 4	H332
Skin Irrit. 2	H315
<b>Eye Irrit. 2</b>	<b>H319</b>
STOT SE 3	H335
STOT RE 2	H373
Asp. Tox. 1	H304
Aquatic Chronic 3	H412

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
<b>Based on product data or assessment</b>
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES  
(Commission Regulation (EU) 2020/878)



## OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

---