

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2670

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Cleaning agent / Cleaner

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact : EagleBurgmann Hungaria Kft.  
Népfürdő utca 22  
1138 Budapest  
Hungary  
Tel.: +36 1 814 8160  
Fax: +36 1 319 8125  
info.hu@eagleburgmann.com

### 1.4 Emergency telephone number

Emergency telephone num-  
ber : 0049 (0) 8142-3051-517  
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)  
H-1096 Budapest, Nagyvárad tér 2.  
Tel: +36 1 476 6464, +36 80 201 199

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)






## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	  
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	<b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. <b>Response:</b> P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish. <b>Storage:</b> P403 + P235 Store in a well-ventilated place. Keep cool.

### Hazardous components which must be listed on the label:

propan-2-ol

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

ethyl acetate

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solvent mixture

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7  603-117-00-0 02-2119457558-25-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336		>= 50 - < 70
Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	918-167-1  01-2119472146-39-XXXX	Flam. Liq.3; H226 Asp. Tox.1; H304; EUH066	Note P	>= 30 - < 50
ethyl acetate	141-78-6 205-500-4  607-022-00-5 01-21119475103-46-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.  
Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema

Aspiration may cause pulmonary oedema and pneumonitis.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Risks : Central nervous system depression  
Can be absorbed through skin.  
Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not let product enter drains.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.  
Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
Do not enter areas where used or stored until adequately ventilated.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	500 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Substances which have a health hazard due to SHORT exposure. Corrected value = $TWA \times 8 / \text{number of hours per day}$ , Absorbed through the skin. The AC values take this property of the dangerous substances and the resulting exposure into consideration only in proportion to their permissible concentration in the air, Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			
		CEIL	1.000 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Substances which have a health hazard due to SHORT exposure. Corrected value = $TWA \times 8 / \text{number of hours per day}$ , Absorbed through the skin. The AC values take this property of the dangerous substances and the resulting exposure into consideration only in proportion to their permissible concentration in the air, Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			
Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	Not Assigned	TWA (Mist)	5 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = $TWA \times 40 / \text{number of hours per week}$			
ethyl acetate	141-78-6	TWA	734 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Value disclosed in Directive 2017/164/EC, Irritants, sim-			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version 1.6      Revision Date: 20.06.2022      Date of last issue: 08.02.2021      Print Date: 20.06.2022  
Date of first issue: 23.06.2016

	ple suffocation gases, substances with minor health effects. No correction is required., Oversensitizing substance (it may cause illnesses detrimental to the skin, the respiratory system or other organs or groups of organs in persons with a propensity to oversensibility), Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			
	STEL	400 ppm 1.468 mg/m3	2017/164/EU (2017-02-01)	
	Further information: Indicative			
	TWA	200 ppm 734 mg/m3	2017/164/EU (2017-02-01)	
	Further information: Indicative			
	CEIL	1.468 mg/m3	HU OEL (2020-02-06)	
	Further information: Value disclosed in Directive 2017/164/EC, Irritants, simple suffocation gases, substances with minor health effects. No correction is required., Oversensitizing substance (it may cause illnesses detrimental to the skin, the respiratory system or other organs or groups of organs in persons with a propensity to oversensibility), Irritant substance (irritates the skin, the mucous membrane and the eyes or all three)			

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : butyl-rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Type A (A)

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concen-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

tration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
	:	Not applicable
Boiling point/boiling range	:	> 36 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	12 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-15 °C Method: DIN 51755, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	<= 3,5 mm <sup>2</sup> /s (40 °C)
Solubility(ies)	:	
Water solubility	:	partly miscible
Solubility in other solvents	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 98 hPa (20 °C)

Relative density : 0,78 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,78 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Refractive index : 1,3892 at 20 °C

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

- Acute oral toxicity : Remarks: Effects due to ingestion may include:  
Symptoms: Central nervous system depression
- Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.  
Symptoms: Inhalation may provoke the following symptoms:,  
Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central  
nervous system depression
- Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may  
cause defatting resulting in drying, redness and possible blister-  
ing.  
Symptoms: Skin disorders

##### Components:

##### **propan-2-ol:**

Acute oral toxicity : LD50 Oral (Rat): 5.840 mg/kg

##### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **ethyl acetate:**

Acute oral toxicity : LD50 (Rat): 5.620 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

#### Skin corrosion/irritation

##### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### Components:

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Result : Repeated exposure may cause skin dryness or cracking.

#### **ethyl acetate:**

Species : Rabbit  
Result : Mild skin irritation

Result : Repeated exposure may cause skin dryness or cracking.

### **Serious eye damage/eye irritation**

#### Product:

Remarks : Irritating to eyes.

### Components:

#### **propan-2-ol:**

Result : Irritating to eyes.

#### **ethyl acetate:**

Assessment : Irritating to eyes.  
Result : Irritating to eyes.

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **ethyl acetate:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version 1.6	Revision Date: 20.06.2022	Date of last issue: 08.02.2021 Date of first issue: 23.06.2016	Print Date: 20.06.2022
----------------	------------------------------	---	---------------------------

### Carcinogenicity

#### Product:

Remarks : No data available

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### STOT - single exposure

#### Components:

##### **propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

##### **ethyl acetate:**

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### STOT - repeated exposure

#### Components:

##### **ethyl acetate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

May be fatal if swallowed and enters airways.

#### Components:

##### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: May cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:**

**ethyl acetate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 212,5 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 154 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.500 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **propan-2-ol:**

Biodegradability : Result: Readily biodegradable.

##### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Biodegradability : Result: Not readily biodegradable.

##### **ethyl acetate:**

Biodegradability : Result: rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **propan-2-ol:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

##### **ethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 0,68 (25 °C)

### 12.4 Mobility in soil

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : May cause long lasting harmful effects to aquatic life.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
14 06 03\*, other solvents and solvent mixtures



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated  
by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	:	UN 1993
ADR	:	UN 1993
RID	:	UN 1993
IMDG	:	UN 1993
IATA	:	UN 1993

### 14.2 UN proper shipping name

ADN	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)
ADR	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)
RID	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)
IMDG	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)
IATA	:	Flammable liquid, n.o.s. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)

### 14.3 Transport hazard class(es)

ADN	:	3
ADR	:	3
RID	:	3
IMDG	:	3
IATA	:	3

### 14.4 Packing group

ADN	:	
Packing group	:	II
Classification Code	:	F1
Hazard Identification Number	:	33

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Labels : 3

### ADR

Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3  
Tunnel restriction code : (D/E)

### RID

Packing group : II  
Classification Code : F1  
Hazard Identification Number : 33  
Labels : 3

### IMDG

Packing group : II  
Labels : 3  
EmS Code : F-E, S-E

### IATA (Cargo)

Packing instruction (cargo aircraft) : 364  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

### IATA (Passenger)

Packing instruction (passenger aircraft) : 353  
Packing instruction (LQ) : Y341  
Packing group : II  
Labels : Flammable Liquids

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : no

### ADR

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version 1.6	Revision Date: 20.06.2022	Date of last issue: 08.02.2021 Date of first issue: 23.06.2016	Print Date: 20.06.2022
----------------	------------------------------	---	---------------------------

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

: P5c

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 100 %

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety  
44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

EUH066 : Repeated exposure may cause skin dryness or cracking.  
H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H304 : May be fatal if swallowed and enters airways.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Note P : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values

HU OEL : Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values

2017/164/EU / STEL : Short term exposure limit

2017/164/EU / TWA : Limit Value - eight hours

HU OEL / TWA : Mean concentration

HU OEL / CEIL : Peak concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Flam. Liq. 2	H225
Eye Irrit. 2	H319
STOT SE 3	H336
Asp. Tox. 1	H304

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.