

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 270 白色脂膏

Chemical nature : Mineral oil.  
PTFE  
solid lubricant  
lithium soap

#### Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)  
+86 21 69225521

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

**Appearance** : paste  
**Colour** : beige  
**Odour** : hydrocarbon-like

Causes mild skin irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### GHS Classification

Skin irritation : Category 3

Short-term (acute) aquatic : Category 1

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN




## OKS 270 白色脂膏

Version 3.3    Revision Date: 2024-06-11    Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24    Print Date: 2024-06-11

hazard

Long-term (chronic) aquatic hazard : Category 3

### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.  
H400 Very toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P332 + P313 If skin irritation occurs: Get medical advice/  
attention.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/containers according the local  
government requirements.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Causes mild skin irritation.

### Environmental hazards

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 30 -< 50
Amines, N-tallow alkyltrimethylenedi-, oleates	61791-53-5	>= 2.5 -< 10
Zinc oxide	1314-13-2	>= 1 -< 2.5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 0.1 -< 0.25
Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts	93820-57-6	>= 0.1 -< 1

### 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.
- Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus  
Halogenated compounds  
Metal oxides
- Specific extinguishing methods : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

### Handling

- Advice on safe handling : Do not use in areas without adequate ventilation.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

### Storage

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH (2018-03-20)
calcium distearate	1592-23-0	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH (2018-03-20)
		TWA (Respirable)	3 mg/m <sup>3</sup>	ACGIH (2018-03-20)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

		particulate matter)		
Zinc oxide	1314-13-2	PC-TWA	3 mg/m <sup>3</sup>	CN OEL (2019-08-27)
		PC-STEL	5 mg/m <sup>3</sup>	CN OEL (2019-08-27)
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH (2007-01-01)
		STEL (Respirable particulate matter)	10 mg/m <sup>3</sup>	ACGIH (2007-01-01)

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Eye/face protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### Hand protection

Material : Fluorinated rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Appearance	:	paste
Colour	:	beige
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
pH	:	Not applicable substance/mixture is non-soluble (in water)
Drop point	:	> 190 °C (1,013 hPa)
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	not auto-flammable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	1.15 (20 °C) Reference substance: Water The value is calculated
Density	:	1.15 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available
Metal corrosion rate	:	Not corrosive to metals
Particle size	:	Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

#### Product:



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

#### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Zinc oxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

##### **Zinc oxide:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### Amines, N-tallow alkyltrimethylenedi-, oleates:

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405

##### Zinc oxide:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Result : No eye irritation  
Assessment : No eye irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### **Zinc oxide:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Assessment : The product is a skin sensitiser, sub-category 1B.  
Result : The product is a skin sensitiser, sub-category 1B.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Components:

#### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Genotoxicity in vitro                   : Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment                   : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### **Zinc oxide:**

Germ cell mutagenicity - Assessment                   : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks                                   : No data available

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment                   : Not classifiable as a human carcinogen.

#### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Carcinogenicity - Assessment                   : No evidence of carcinogenicity in animal studies.

#### **Zinc oxide:**

Carcinogenicity - Assessment                   : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

#### Product:

Effects on fertility                       : Remarks: No data available

Effects on foetal development                   : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Components:

#### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

#### **Zinc oxide:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

### **STOT - single exposure**

#### Product:

Remarks : No data available

### Components:

#### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Zinc oxide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### STOT - repeated exposure

**Product:**

Remarks : No data available

**Components:**

**Amines, N-tallow alkyltrimethylenedi-, oleates:**

Exposure routes : Ingestion  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Zinc oxide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

May be fatal if swallowed and enters airways.

May be harmful if swallowed and enters airways.

**Zinc oxide:**

No aspiration toxicity classification

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: Very toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

plants : - 0.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 1.41 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### Zinc oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.55 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.136 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 0.04 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

(Chronic toxicity)      Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): 1.69 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l  
Exposure time: 3 h  
Test Type: static test

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **Amines, N-tallow alkyltrimethylenedi-, oleates:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 65 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

##### **Zinc oxide:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

### Amines, N-tallow alkyltrimethylenedi-, oleates:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 1,730  
Exposure time: 42 d  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 5.2 - 10.82

### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 70.8

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### Other adverse effects

#### Product:

Additional ecological information : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

### Components:

#### **Zinc oxide:**

Results of PBT and vPvB assessment : Remarks: Not applicable

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

#### **Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fatty amine derivative)  
Class : 9  
Packing group : III  
Labels : 9

#### **IATA-DGR**

UN/ID No. : UN 3077

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fatty amine derivative)  
Class : 9  
Packing group : III  
Labels : Miscellaneous Dangerous Goods  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(fatty amine derivative)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(fatty amine derivative)  
Class : 9  
Packing group : III  
Labels : 9

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version 3.3      Revision Date: 2024-06-11      Date of last issue: 2024-02-19  
Date of first issue: 2014-06-24      Print Date: 2024-06-11

Hazardous Chemicals for Priority Management under SAWS : Not applicable

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals (2023) : Not applicable

### International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CN OEL / PC-TWA : Permissible concentration - time weighted average  
CN OEL / PC-STEEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 270 白色脂膏

Version	Revision Date:	Date of last issue: 2024-02-19
3.3	2024-06-11	Date of first issue: 2014-06-24 Print Date: 2024-06-11

---

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.