

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product name : OKS 4200

**Manufacturer or supplier's details**

Company name of supplier : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

**2. HAZARDS IDENTIFICATION**


**GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)**

Carcinogenicity : Category 1A

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

**GHS-Labeling (According to GOST 31340)**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H350 May cause cancer.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

**OKS 4200**

Version 1.5	Revision Date: 22.10.2022	Date of last issue: 17.12.2019 Date of first issue: 16.07.2014	Print Date: 24.10.2022
----------------	------------------------------	---	---------------------------

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture  
Chemical nature : Synthetic hydrocarbon oil  
Mineral oil.  
Molybdenum disulfide

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m3 / TSEL value	Hazard Class		
disodium sebacate	>= 1 - < 2,5	No data available		17265-14-4	241-300-3
molybdenum disulphide	>= 1 - < 10	MPC-TWA: 1 mg/m3 Data Source: RU OEL	3	1317-33-5	215-263-9
		MPC-STEL: 6 mg/m3 Data Source: RU OEL	3		
		MPC-TWA: 1 mg/m3 Data Source: RU OEL	3		
		MPC-STEL: 6	3		

**OKS 4200**

Version 1.5	Revision Date: 22.10.2022	Date of last issue: 17.12.2019 Date of first issue: 16.07.2014	Print Date: 24.10.2022
----------------	------------------------------	---	---------------------------

		mg/m3 Data Source: RU OEL			
2,6-di-tert-butyl-p-cresol	>= 1 - < 2,5	No data available		128-37-0	204-881-4
Quartz (SiO <sub>2</sub> ); respirable fraction	>= 0,1 - < 1	No data available		14808-60-7	238-878-4

**4. FIRST AID MEASURES**

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
Get medical attention if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**5. FIREFIGHTING MEASURES**

**Flammable properties**

- Flash point : Not applicable
- Ignition temperature : No data available
  
- Upper explosion limit / Upper flammability limit : No data available
  
- Lower explosion limit / Lower flammability limit : No data available
  
- Flammability (solid, gas) : Combustible Solids
  
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
  
- Unsuitable extinguishing media : High volume water jet
  
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Sulphur oxides  
Metal oxides
  
- Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
  
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Avoid breathing dust.  
Refer to protective measures listed in sections 7 and 8.
  
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.
  
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.



**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**7. HANDLING AND STORAGE**

- Advice on safe handling** : Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Wash hands and face before breaks and immediately after handling the product.  
 Do not get in eyes or mouth or on skin.  
 Do not get on skin or clothing.  
 Do not ingest.  
 Do not repack.  
 These safety instructions also apply to empty packaging which may still contain product residues.  
 Keep container closed when not in use.
- Conditions for safe storage** : Store in original container.  
 Keep container closed when not in use.  
 Keep in a dry, cool and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Store in accordance with the particular national regulations.  
 Keep in properly labelled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
molybdenum disulphide	1317-33-5	MPC-TWA (aerosol)	1 mg/m3	RU OEL (2011-07-12)
Further information: Class 3 - Dangerous				
		MPC-STEL (aerosol)	6 mg/m3	RU OEL (2011-07-12)
Further information: Class 3 - Dangerous				
		MPC-TWA (aerosol)	1 mg/m3 (Molybdenum)	RU OEL (2021-02-03)
Further information: Class 3 - Moderately dangerous				
		MPC-STEL (aerosol)	6 mg/m3 (Molybdenum)	RU OEL (2021-02-03)
Further information: Class 3 - Moderately dangerous				

- Engineering measures** : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

vents or an explosion suppression system or an oxygen deficient environment.

**Personal protective equipment**

- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type A-P
- Hand protection
- Material : Nitrile rubber
- Break through time : > 10 min
- Protective index : Class 1
- Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : solid
- Colour : black
- Odour : hydrocarbon-like
- Odour Threshold : No data available
- pH : Not applicable  
substance/mixture is non-soluble (in water)

**OKS 4200**

Version 1.5	Revision Date: 22.10.2022	Date of last issue: 17.12.2019 Date of first issue: 16.07.2014	Print Date: 24.10.2022
----------------	------------------------------	---	---------------------------

Drop point : ca. 250 °C  
(1.013 hPa)

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,93 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,93 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

**OKS 4200**

Version 1.5	Revision Date: 22.10.2022	Date of last issue: 17.12.2019 Date of first issue: 16.07.2014	Print Date: 24.10.2022
----------------	------------------------------	---	---------------------------

Sublimation point : No data available  
Metal corrosion rate : Not corrosive to metals

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No decomposition if stored and applied as directed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.  
Acute inhalation toxicity : Remarks: This information is not available.  
Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**disodium sebacate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity



**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**molybdenum disulphide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16.000 mg/kg

**2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**disodium sebacate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : no

**molybdenum disulphide:**

Assessment : No skin irritation  
Result : No skin irritation

**2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**Components:**

**disodium sebacate:**

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 437  
GLP : yes

**molybdenum disulphide:**

Result : No eye irritation  
Assessment : No eye irritation

**2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : Draize Test

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**disodium sebacate:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

**molybdenum disulphide:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**disodium sebacate:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**molybdenum disulphide:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**molybdenum disulphide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Quartz (SiO<sub>2</sub>); respirable fraction:**

**OKS 4200**

Version 1.5	Revision Date: 22.10.2022	Date of last issue: 17.12.2019 Date of first issue: 16.07.2014	Print Date: 24.10.2022
----------------	------------------------------	---	---------------------------

Carcinogenicity - Assessment : Human carcinogen.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**disodium sebacate:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**STOT - single exposure**

**Components:**

**molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Components:**

**molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Quartz (SiO<sub>2</sub>); respirable fraction:**

Exposure routes : Inhalation  
Target Organs : Lungs  
Assessment : The substance or mixture is classified as specific target organ

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

toxicant, repeated exposure, category 1.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**disodium sebacate:**

No aspiration toxicity classification

**2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

**Components:**

**molybdenum disulphide:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

Toxicity to daphnia and other :  
aquatic invertebrates            Remarks: No data available

Toxicity to algae/aquatic :  
plants                                Remarks: No data available

Toxicity to microorganisms :    Remarks: No data available

**Components:**

**disodium sebacate:**

Toxicity to fish                    : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates        Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic : EL50 (Skeletonema costatum (marine diatom)): 38,7 mg/l  
plants                            Exposure time: 72 h  
Test Type: static test  
Method: ISO 10253  
GLP: yes

**molybdenum disulphide:**

Toxicity to fish                    : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates        Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100  
plants                            mg/l  
Exposure time: 72 h

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

**2,6-di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**disodium sebacate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 89 %  
Exposure time: 28 d

**2,6-di-tert-butyl-p-cresol:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**OKS 4200**

Version 1.5      Revision Date: 22.10.2022      Date of last issue: 17.12.2019      Print Date: 24.10.2022  
Date of first issue: 16.07.2014

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Components:**

**disodium sebacate:**

Partition coefficient: n-octanol/water : log Pow: -4,9 (20 °C)  
pH: 7,8

**2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-octanol/water : log Pow: 5,1

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

**Components:**

**2,6-di-tert-butyl-p-cresol:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

**Hygienic standards:**

**(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source
------------	-----	-------	------	-------------



**OKS 4200**

Version 1.5      Revision Date: 22.10.2022      Date of last issue: 17.12.2019      Print Date: 24.10.2022  
Date of first issue: 16.07.2014

molybdenum disulphide	Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,02 mg/m <sup>3</sup> (Molybdenum) Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous	No data available	No data available	List 1
2,6-di-tert-butyl-p-cresol	Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,6 mg/m <sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard Concentration that prevents irritation, reflex reactions, odors when exposed to 20-30 minutes - maximum one-time: 2 mg/m <sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard	No data available	No data available	List 1

For explanation of abbreviations see section 16.

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

---

**14. TRANSPORT INFORMATION**

**ADR**

Not regulated as a dangerous good

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation"



**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

(amended and supplemented, entered into force on 01.09.2021).  
Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".  
Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements"  
TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for  
lubricants, oils and special fluids (amended on 03.03.2017).

**International Regulations**

Montreal Protocol : Not applicable  
Rotterdam Convention (Prior Informed Consent) : Not applicable  
Stockholm Convention (Persistent Organic Pollutants) : Not applicable

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.  
GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.  
GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements  
GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.  
GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.  
GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.  
GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.  
GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.  
GOST 19433-88 Dangerous goods. Classification and labeling.  
GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.  
GOST 32419-2013 Classification of the hazard of chemical products. General requirements.  
GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.  
GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.  
GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.  
GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.  
GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.  
GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.  
GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.  
SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".  
SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.  
SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".  
SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.  
Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.  
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).  
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.  
Agreement on International Goods Transport by Rail (SMGS).  
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.  
Montreal Protocol (Ozone Depleting Substances)  
Stockholm Convention (Persistent Organic Pollutants)

**Full text of other abbreviations**

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
RU OEL	:	Russia. Hygienic standards GN 2.2.5.1313-03 Permissible concentration (MAC) of harmful substances in the air of the working area
RU OEL	:	SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
RU OEL / MPC-STEL	:	Maximum Permissible Concentration - Short Term Exposure
RU OEL / MPC-TWA	:	Maximum Permissible Concentration - Time Weighted Average
RU OEL / MPC-STEL	:	Maximum Permissible Concentration - Short Term Exposure
RU OEL / MPC-TWA	:	Maximum Permissible Concentration - Time Weighted Average
List 1	:	SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances



**OKS 4200**

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.5	22.10.2022	Date of first issue: 16.07.2014	24.10.2022

(Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.