

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 420

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

### 1.4 Emergency telephone number

Emergency telephone number : +34 91 562 04 20

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

### Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol; Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
polyurea

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14)	430-930-6  01-0000017717-62-0001  01-0000017717-62-0000 01-0000017717-62-0002	Aquatic Chronic4; H413		>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version 4.1      Revision Date: 26.06.2024      Date of last issue: 08.12.2022      Print Date: 26.06.2024  
Date of first issue: 06.07.2016

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	946-010-7  01-2120770934-44-XXXX	Skin Sens.1; H317		$\geq 0,1 - < 1$
Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	947-946-9  01-2120772600-59-XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; H413		$\geq 0,25 - < 1$
Substances with a workplace exposure limit :				
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0 265-160-8  649-470-00-4 01-2119489287-22-XXXX	Not classified	Note L	$\geq 70 - < 90$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.  
Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.  
Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0	VLA-ED (Mist)	5 mg/m <sup>3</sup>	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m <sup>3</sup>	ES VLA (2019-02-20)

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	5,6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14)	Workers	Inhalation	Long-term systemic effects	29,4 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	83,3 mg/kg bw/day
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Workers	Dermal	Long-term systemic effects	8,33 mg/kg bw/day
Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14)	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye/face protection : Safety glasses

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : paste  
Colour : beige  
Odour : characteristic

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version 4.1	Revision Date: 26.06.2024	Date of last issue: 08.12.2022 Date of first issue: 06.07.2016	Print Date: 26.06.2024
----------------	------------------------------	---	---------------------------

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,900 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,90 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version 4.1	Revision Date: 26.06.2024	Date of last issue: 08.12.2022 Date of first issue: 06.07.2016	Print Date: 26.06.2024
----------------	------------------------------	---	---------------------------

Relative vapour density : No data available

### Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

## 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

##### Components:

#### **reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.  
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

#### **Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:**

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### **Residual oils (petroleum), hydrotreated; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

#### reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)  
Assessment : No skin irritation  
Result : No skin irritation

#### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment : Irritating to skin.  
Result : Irritating to skin.

Remarks : Irritating to skin.

#### Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

#### reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment : No eye irritation  
Result : No eye irritation

### Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

### reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact.  
Result : May cause sensitisation by skin contact.

### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment : The product is a skin sensitiser, sub-category 1B.  
Result : The product is a skin sensitiser, sub-category 1B.

### Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.  
Result : Does not cause respiratory sensitisation.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

#### **reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

#### **Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:**

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

#### **Residual oils (petroleum), hydrotreated; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

#### **Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:**

Reproductive toxicity - Assessment : - Fertility -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

Animal testing did not show any effects on fertility.

### STOT - single exposure

**Product:**

Remarks : No data available

### STOT - repeated exposure

**Product:**

Remarks : No data available

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

### **Components:**

**Residual oils (petroleum), hydrotreated; Baseoil — unspecified:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

### Components:

#### **Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

#### **reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

Method: OECD Test Guideline 209  
GLP: yes

### **Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Remarks: May cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

### **Residual oils (petroleum), hydrotreated; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

## 12.2 Persistence and degradability

### **Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### **Components:**

**reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 10 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 11 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Biodegradability : Result: Not rapidly biodegradable

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14):

Partition coefficient: n-octanol/water : log Pow: > 6

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-octanol/water : log Pow: 9,01

#### Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Partition coefficient: n-octanol/water : log Pow: > 4

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

**Components:**

**Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:**

Additional ecological information : May cause long lasting harmful effects to aquatic life.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version 4.1	Revision Date: 26.06.2024	Date of last issue: 08.12.2022 Date of first issue: 06.07.2016	Print Date: 26.06.2024
----------------	------------------------------	---	---------------------------

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version 4.1	Revision Date: 26.06.2024	Date of last issue: 08.12.2022 Date of first issue: 06.07.2016	Print Date: 26.06.2024
----------------	------------------------------	---	---------------------------

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,48 %

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

ES VLA : Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

ES VLA / VLA-ED : Environmental Daily Limit Value  
ES VLA / VLA-EC : Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 420

Version	Revision Date:	Date of last issue: 08.12.2022	Print Date:
4.1	26.06.2024	Date of first issue: 06.07.2016	26.06.2024

---

relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.