



## OKS 473

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : OKS 473

#### Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

#### Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)

Short-term (acute) aquatic hazard : Category 3

#### GHS-Labeling (According to GOST 31340)

Hazard statements : H402 Harmful to aquatic life.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : Synthetic hydrocarbon oil

**OKS 473**

Version 1.8      Revision Date: 27.11.2023      Date of last issue: 02.03.2023      Print Date: 27.11.2023  
Date of first issue: 20.03.2014

aluminium complex soap

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m <sup>3</sup> / TSEL value	Hazard Class		
White mineral oil (petroleum)	>= 1 - < 10	MPC-STEL: 5 mg/m <sup>3</sup> Data Source: RU OEL	3, +	8042-47-5	232-455-8
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	>= 0,25 - < 1	No data available			701-177-3
Amines, C12-14-alkyl, isoctyl phosphates	>= 0,25 - < 1	MPC-STEL: 1 mg/m <sup>3</sup> Data Source: RU OEL	2, +	68187-67-7	269-119-5
2,6-di-tert-butyl-p-cresol	>= 0,1 - < 0,25	No data available		128-37-0	204-881-4

**4. FIRST AID MEASURES**

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.

Notes to physician : Treat symptomatically.

**5. FIREFIGHTING MEASURES**

**Flammable properties**

Flash point : Not applicable  
Ignition temperature : No data available  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available  
Flammability (solid, gas) : Combustible Solids  
Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Unsuitable extinguishing media : High volume water jet  
Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Metal oxides  
Further information : Standard procedure for chemical fires.  
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

**7. HANDLING AND STORAGE**

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.

Conditions for safe storage : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
White mineral oil (petroleum)	8042-47-5	MPC-STEL (aerosol)	5 mg/m <sup>3</sup>	RU OEL (2021-02-03)
Further information: Class 3 - Moderately dangerous, Substances which require special skin and eye protection				
Amines, C12-14-alkyl, isoctyl phosphates	68187-67-7	MPC-STEL (mixture of vapour and aerosol)	1 mg/m <sup>3</sup>	RU OEL (2021-02-03)
Further information: Class 2 - Highly dangerous, Substances				



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

which require special skin and eye protection

**Engineering measures** : none

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

**OKS 473**

Version 1.8	Revision Date: 27.11.2023	Date of last issue: 02.03.2023 Date of first issue: 20.03.2014	Print Date: 27.11.2023
----------------	------------------------------	-------------------------------------------------------------------	---------------------------

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,85 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,85 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Sublimation point : No data available  
Particle size : Not applicable

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No decomposition if stored and applied as directed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.  
Acute inhalation toxicity : Remarks: This information is not available.  
Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 1,37 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Amines, C12-14-alkyl, isooctyl phosphates:**

Acute oral toxicity : LD50 (Rat): 1.000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Components:**

**White mineral oil (petroleum):**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

**Amines, C12-14-alkyl, isoctyl phosphates:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.  
GLP : yes

**2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.

**Amines, C12-14-alkyl, isooctyl phosphates:**

Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.

**2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : Draize Test

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

**Amines, C12-14-alkyl, isooctyl phosphates:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

**2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Amines, C12-14-alkyl, isooctyl phosphates:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**White mineral oil (petroleum):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**STOT - single exposure**

**Product:**

Remarks : No data available

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Components:**

**White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Product:**

Remarks : No data available

**Components:**

**White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Components:**

**White mineral oil (petroleum):**

NOAEL : 1.800 mg/kg  
Exposure time : 90 d

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**White mineral oil (petroleum):**

No aspiration toxicity classification

**2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish : Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic :  
plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): >= 1.000 mg/l  
aquatic invertebrates Exposure time: 21 d  
(Chronic toxicity)

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,91 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (activated sludge): 10 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Amines, C12-14-alkyl, isoocetyl phosphates:**

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.1  
GLP: yes

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 0,8 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**2,6-di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

**Components:**

**White mineral oil (petroleum):**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 85,2 %  
Exposure time: 28 d

**Amines, C12-14-alkyl, isooctyl phosphates:**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.  
GLP: yes

**2,6-di-tert-butyl-p-cresol:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Components:**

**White mineral oil (petroleum):**

Partition coefficient: n- : Pow: > 6  
octanol/water

**N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Partition coefficient: n- : log Pow: 6,83  
octanol/water

**Amines, C12-14-alkyl, isoctyl phosphates:**

Partition coefficient: n- : log Pow: 1,87  
octanol/water Method: OECD Test Guideline 117  
GLP: yes

**2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n- : log Pow: 5,1  
octanol/water

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among : Remarks: No data available  
environmental compartments

**Other adverse effects**

**Product:**

Additional ecological : No information on ecology is available.  
information



**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

**Components:**

**White mineral oil (petroleum):**

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment

**2,6-di-tert-butyl-p-cresol:**

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment

**Hygienic standards:**

**(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source
White mineral oil (petroleum)	No data available	Maximum Permissible Concentration: 0,05 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 3	No data available	List 5
Amines, C12-14-alkyl, isoocetyl phosphates	Concentration that prevents irritation, reflex reactions, odors when exposed to 20-30 minutes - maximum one-time: 0,01 mg/m <sup>3</sup> Limiting health hazard indicator: reflectory Hazard class: Class 3 - moderately dangerous	Maximum Permissible Concentration: 0,05 Milligrams per cubed decimeter (Phosphorus) Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-purification of water bodies of water fishery: BOD <sub>5</sub> (biochemical oxygen demand for 5 days), the	No data available	List 1 List 5



**OKS 473**

Version 1.8	Revision Date: 27.11.2023	Date of last issue: 02.03.2023 Date of first issue: 20.03.2014	Print Date: 27.11.2023
----------------	------------------------------	-------------------------------------------------------------------	---------------------------

		<p>number of saprophytic microflora Hazard class: 4e Maximum Permissible Concentration: 0,15 Milligrams per cubed decimeter (Phosphorus) Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 4e Maximum Permissible Concentration: 0,2 Milligrams per cubed decimeter (Phosphorus) Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-</p>	
--	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--



**OKS 473**

Version 1.8	Revision Date: 27.11.2023	Date of last issue: 02.03.2023 Date of first issue: 20.03.2014	Print Date: 27.11.2023
----------------	------------------------------	-------------------------------------------------------------------	---------------------------

		purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 4e		
2,6-di-tert-butyl-p-cresol	Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,6 mg/m <sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard Concentration that prevents irritation, reflex reactions, odors when exposed to 20-30 minutes - maximum one-time: 2 mg/m <sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard	No data available	No data available	List 1

For explanation of abbreviations see section 16.

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

---

**14. TRANSPORT INFORMATION**

**ADR**

Not regulated as a dangerous good

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".

Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements"

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

**International Regulations**

Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".  
SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.  
SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".  
SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.  
Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.  
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).  
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.  
Agreement on International Goods Transport by Rail (SMGS).  
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.  
Montreal Protocol (Ozone Depleting Substances)  
Stockholm Convention (Persistent Organic Pollutants)

**Full text of other abbreviations**

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area  
RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure  
List 1 : SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements  
List 5 : Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of





**OKS 473**

Version	Revision Date:	Date of last issue: 02.03.2023	Print Date:
1.8	27.11.2023	Date of first issue: 20.03.2014	27.11.2023

Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.