

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 490 齿轮润滑脂，可喷涂
Chemical nature : Mineral oil.
aluminium soap
graphite

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
82216 Maisach-Gernlinden
Deutschland
Tel.: +49 8142 3051 500
Fax: +49 8142 3051 599
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)
+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : paste
Colour : black
Odour : characteristic

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized	68390-93-2	≥ 2.5 -< 10
dibutyl [[bis(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate	68413-48-9	≥ 0.25 -< 1

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂, 可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

If unconscious, place in recovery position and seek medical advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
No symptoms known or expected.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

High volume water jet

Hazardous combustion products : Carbon oxides
Sulphur oxides
Oxides of phosphorus
Metal oxides

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Residual oils (petroleum), solvent-dewaxed	64742-62-7	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH (2013-03-01)
Asphalt	8052-42-4	PC-TWA (Fumes)	5 mg/m ³ (soluble in	CN OEL (2019-08-27)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

		benzene)		
		Further information: G2B - Possibly carcinogenic to humans		
		TWA (Fume, inhalable fraction)	0.5 mg/m ³ (benzene soluble aerosol)	ACGIH (2013-03-01)
graphite (natural)	7782-42-5	PC-TWA (Total dust)	4 mg/m ³	CN OEL (2019-08-27)
		PC-TWA (Respirable dust)	2 mg/m ³	CN OEL (2019-08-27)
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH (2007-01-01)
aluminium tristearate	637-12-7	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	1 mg/m ³ (Aluminium)	ACGIH (2013-03-01)

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : > 300 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.98 (20 °C)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂, 可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

	Reference substance: Water
	The value is calculated
Density	: 0.98 g/cm ³ (20 °C)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: No data available
Sublimation point	: No data available
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No conditions to be specially mentioned.
Incompatible materials	: No materials to be especially mentioned.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Acute oral toxicity : LD50 (Rat): 11,300 mg/kg
Method: OECD Test Guideline 401

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Assessment : The product is a skin sensitiser, sub-category 1B.
Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Product:

Remarks : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

STOT - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae/aquatic plants :
Remarks: No data available

Toxicity to microorganisms :
Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Components:

Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l
Exposure time: 72 h

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.002 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 35 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 12.1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Partition coefficient: n-octanol/water : log Pow: > 6.5
Method: OECD Test Guideline 117
GLP: yes

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals (2023) : Not applicable

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version 3.2 Revision Date: 2024-07-10 Date of last issue: 2022-11-07
Date of first issue: 2014-04-24 Print Date: 2024-07-10

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 490 齿轮润滑脂，可喷涂

Version	Revision Date:	Date of last issue: 2022-11-07
3.2	2024-07-10	Date of first issue: 2014-04-24 Print Date: 2024-07-10

the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.