

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : OKS 536

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
82216 Maisach-Gernlinden
Deutschland
Tel.: +49 8142 3051 500
Fax: +49 8142 3051 599
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com
Emergency telephone number : +7 495 628 1687
+49 8142 3051 517

Recommended use of the chemical and restrictions on use


Recommended use : Lubricant
Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)

Skin sensitisation : Category 1

GHS-Labeling (According to GOST 31340)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

OKS 536

Version 2.2	Revision Date: 12.06.2024	Date of last issue: 24.10.2022 Date of first issue: 30.06.2014	Print Date: 25.06.2024
----------------	------------------------------	---	---------------------------

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture
Chemical nature : Aqueous solution
graphite
inorganic binding agent

Components

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m3 / TSEL value	Hazard Class		
2,2',2"-nitrilotriethanol	>= 1 - < 10	TSEL: 5 mg/m3 Data Source: RU TSEL		102-71-6	203-049-8
Polyethylene glycol #1200	>= 1 - < 10	MPC-STEL: 10 mg/m3 Data Source: RU OEL	4	25322-68-3	500-038-2
dodecylguanidine monohydrochloride	>= 0,0025 - < 0,025	No data available		13590-97-1	237-030-0
2-methylisothiazol-3(2H)-one	>= 0,0025 - < 0,025	No data available		2682-20-4	220-239-6

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

- If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do NOT induce vomiting.
Rinse mouth with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
No symptoms known or expected.
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Flammable properties

- Flash point : does not flash
Ignition temperature : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : Will not burn
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.
Do not breathe vapours or spray mist.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water courses.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Conditions for safe storage : Store in original container.
 Keep container closed when not in use.
 Keep in a dry, cool and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Store in accordance with the particular national regulations.
 Keep in properly labelled containers.

Protect from frost.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
2,2',2"-nitrilotriethanol	102-71-6	TSEL (mixture of vapour and aerosol)	5 mg/m3	RU TSEL (2021-02-03)
Polyethylene glycol #1200	25322-68-3	MPC-STEL (aerosol)	10 mg/m3	RU OEL (2021-02-03)
Further information: Class 4 - Low hazard				

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : butyl-rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : 9,2 (20 °C)
Concentration: 100 %

Melting point/range : No data available

Boiling point/boiling range : 100 °C

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1,1 (20 °C)

OKS 536

Version 2.2	Revision Date: 12.06.2024	Date of last issue: 24.10.2022 Date of first issue: 30.06.2014	Print Date: 25.06.2024
----------------	------------------------------	---	---------------------------

Reference substance: Water
The value is calculated

Density : 1,10 g/cm³ (20 °C)

Bulk density : No data available

Solubility(ies)
Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : 105,7 mm²/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

2,2',2"-nitrilotriethanol:

Acute oral toxicity : LD50 (Rat): 6.400 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

dodecylguanidine monohydrochloride:

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): Test atmosphere: dust/mist
Assessment: The component/mixture is highly toxic after short term inhalation.

2-methylisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 120 mg/kg
Method: OPPTS 870.1100
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 0,11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Acute dermal toxicity : LD50 (Rat): 242 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

2,2',2''-nitrioltriethanol:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

dodecylguanidine monohydrochloride:

Assessment : Causes burns.
Result : Causes burns.

2-methylisothiazol-3(2H)-one:

Species : Rabbit
Assessment : Causes burns.
Method : OECD Test Guideline 404
Result : Causes burns.
GLP : yes

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

2,2',2''-nitrioltriethanol:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

2-methylisothiazol-3(2H)-one:

Result : Risk of serious damage to eyes.
Assessment : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

2,2',2''-nitrioltriethanol:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

2-methylisothiazol-3(2H)-one:

Test Type : Buehler Test
Species : Guinea pig
Assessment : The product is a skin sensitiser, sub-category 1A.
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1A.
GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

2-methylisothiazol-3(2H)-one:

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Remarks : No data available

Components:

2-methylisothiazol-3(2H)-one:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

2-methylisothiazol-3(2H)-one:

Reproductive toxicity - Assessment : - Fertility -
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

STOT - single exposure

Product:

Remarks : No data available

Components:

2,2',2''-nitritriethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-methylisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

STOT - repeated exposure

Product:

Remarks : No data available

Components:

2,2',2''-nitrioltriethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2-methylisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

2,2',2''-nitrioltriethanol:

No aspiration toxicity classification

2-methylisothiazol-3(2H)-one:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Components:

2-methylisothiazol-3(2H)-one:

Remarks : Ingestion causes burns of the upper digestive and respiratory tracts.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae/aquatic plants :
Remarks: No data available

Toxicity to microorganisms :
Remarks: No data available

Components:

2,2',2''-nitrilotriethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 11.800 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 609,88 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 216 mg/l
Exposure time: 72 h
Test Type: static test

dodecylguanidine monohydrochloride:

M-Factor (Acute aquatic toxicity) : 10

OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

2-methylisothiazol-3(2H)-one:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,93 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,044 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

2,2',2''-nitrioltriethanol:

Biodegradability : Result: Readily biodegradable.

2-methylisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.



OKS 536

Version 2.2	Revision Date: 12.06.2024	Date of last issue: 24.10.2022 Date of first issue: 30.06.2014	Print Date: 25.06.2024
----------------	------------------------------	---	---------------------------

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

2,2',2''-nitrioltriethanol:

Partition coefficient: n-octanol/water : log Pow: -2,3 (25 °C)

2-methylisothiazol-3(2H)-one:

Partition coefficient: n-octanol/water : log Pow: -0,486 (25 °C)
pH: 7

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

2,2',2''-nitrioltriethanol:

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
2,2',2''-nitrioltriethanol	TSEL value: 0,04 mg/m ³	Maximum Permissible Concentration: 0,01 Milligrams per cubed decimeter Limiting health	No data available	List 2 List 4 List 5



OKS 536

Version 2.2	Revision Date: 12.06.2024	Date of last issue: 24.10.2022 Date of first issue: 30.06.2014	Print Date: 25.06.2024
----------------	------------------------------	---	---------------------------

		<p>hazard indicator: toxic Hazard class: 3 Maximum Allowable Concentration: 1 mg/l Limiting health hazard indicator: organoleptic; gives taste to water Hazard class: Class 4 - low hazard</p>		
<p>Polyethylene glycol #1200</p>	<p>TSEL value: 0,15 mg/m3</p>	<p>Maximum Permissible Concentration: 2,5 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self- purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 3 Maximum Allowable Concentration: 0,3 mg/l Limiting health hazard indicator: organoleptic; causes the formation of foam Hazard class: Class</p>	<p>No data available</p>	<p>List 2 List 3 List 4 List 5</p>



OKS 536

Version 2.2	Revision Date: 12.06.2024	Date of last issue: 24.10.2022 Date of first issue: 30.06.2014	Print Date: 25.06.2024
----------------	------------------------------	---	---------------------------

		<p>4 - low hazard TSEL value: 0,25 mg/l Limiting health hazard indicator: organoleptic; causes the formation of foam Hazard class: Class 3 - moderately dangerous Maximum Allowable Concentration: 0,1 mg/l Limiting health hazard indicator: general sanitary Hazard class: Class 4 - low hazard Maximum Allowable Concentration: 0,02 mg/l Limiting health hazard indicator: general sanitary Hazard class: Class 4 - low hazard</p>		
--	--	--	--	--

For explanation of abbreviations see section 16.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Waste Code : unused product
12 01 09**, machining emulsions and solutions free of halogens

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".

Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements" TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

International Regulations



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

16. OTHER INFORMATION

List of data sources used in the preparation of the Safety Data Sheet

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".
SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.
Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.
Agreement on International Goods Transport by Rail (SMGS).
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.
Montreal Protocol (Ozone Depleting Substances)
Stockholm Convention (Persistent Organic Pollutants)

Full text of other abbreviations

- Acute Tox. : Acute toxicity
- Aquatic Acute : Short-term (acute) aquatic hazard
- Aquatic Chronic : Long-term (chronic) aquatic hazard
- Eye Dam. : Serious eye damage
- Skin Corr. : Skin corrosion
- Skin Sens. : Skin sensitisation
- RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
- RU TSEL : SanPiN 1.2.3685-21 Table 2.2 Tentative Safe Exposure Levels (TSELs) of Pollutants in the Air of the Working Area
- RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure
- RU TSEL / TSEL : TSEL value
- List 2 : SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13 Tentative Safe Exposure Levels (TSEL) in the air of urban and rural settlements
- List 3 : SanPiN 1.2.3685-21 Table 3.14 & Table 3.18 Indicative permissible levels (TAC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of ground and surface water bodies of drinking and cultural and domestic water use, water of swimming pools, water parks
- List 4 : SanPiN 1.2.3685-21 Table 3.13, Table 3.15, Table 3.16 & Table 3.17 Maximum permissible concentrations (MPC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of underground and surface water bodies of domestic drinking and cultural and domestic water use, water of swimming pools, water parks
- List 5 : Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by



OKS 536

Version	Revision Date:	Date of last issue: 24.10.2022	Print Date:
2.2	12.06.2024	Date of first issue: 30.06.2014	25.06.2024

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.