

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 661

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant spray

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact : EagleBurgmann Hungaria Kft.  
Népfürdő utca 22  
1138 Budapest  
Hungary  
Tel.: +36 1 814 8160  
Fax: +36 1 319 8125  
info.hu@eagleburgmann.com

### 1.4 Emergency telephone number

Emergency telephone num-  
ber : 0049 (0) 8142-3051-517  
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)  
H-1096 Budapest, Nagyvárad tér 2.  
Tel: +36 1 476 6464, +36 80 201 199

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

Aerosols, Category 1

H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Additional Labelling

EUH208 Contains cinnamaldehyde. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version 1.5      Revision Date: 25.11.2022      Date of last issue: 09.02.2021      Print Date: 25.11.2022  
Date of first issue: 26.09.2019

Chemical nature : Active substance with propellant  
Ethanol  
Perfumes  
water

### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
ethanol	64-17-5 200-578-6  603-002-00-5 01-2119457610-43-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319	50 % Eye Irrit.2A,	>= 30 - < 50
isobutane	75-28-5 200-857-2  601-004-00-0 01-2119485395-27-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 20 - < 30
propane	74-98-6 200-827-9  601-003-00-5 01-2119486944-21-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
1-methoxy-2-propanol	107-98-2 203-539-1  603-064-00-3 01-2119457435-35-XXXX	Flam. Liq.3; H226 STOT SE3; H336		>= 1 - < 10
pentane-2,4-dione	123-54-6 204-634-0  606-029-00-0	Flam. Liq.3; H226 Acute Tox.4; H302		>= 1 - < 10
methyl salicylate	119-36-8	Acute Tox.4; H302	ATE (Oral): 500,0 mg/kg;	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version 1.5      Revision Date: 25.11.2022      Date of last issue: 09.02.2021      Print Date: 25.11.2022  
Date of first issue: 26.09.2019

	204-317-7 607-749-00-8			
cinnamaldehyde	104-55-2 203-213-9	Acute Tox.4; H312 Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317	ATE (Oral): 890 mg/kg;	$\geq 0,1 - < 1$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Obtain medical attention.  
Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

Headache  
Nausea  
Tiredness  
Allergic appearance

Risks : Causes skin irritation.  
May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.  
Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder  
Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.  
Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

even after use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

Protect from frost.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1.900 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.			
		CEIL	3.800 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.			
1-methoxy-2-propanol	107-98-2	TWA	100 ppm 375 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	150 ppm 568 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	375 mg/m <sup>3</sup>	HU OEL (2020-02-06)
	Further information: Substances whose SHORT-term and LONG-term exposure causes damage to health. Corrected value = TWA x 8 / number of hours per day or Corrected value = TWA x 40 / number of hours per week. The more stringent (lower) value shall be used, Absorbed through the skin. The AC values take this property of the dangerous substances and the resulting exposure into consideration only in proportion to their permissible concentra-			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version 1.5      Revision Date: 25.11.2022      Date of last issue: 09.02.2021      Print Date: 25.11.2022  
Date of first issue: 26.09.2019

	tion in the air, Value disclosed in Directive 2000/39/EC
	CEIL      568 mg/m <sup>3</sup> HU OEL (2020-02-06)
	Further information: Substances whose SHORT-term and LONG-term exposure causes damage to health. Corrected value = TWA x 8 / number of hours per day or Corrected value = TWA x 40 / number of hours per week. The more stringent (lower) value shall be used, Absorbed through the skin. The AC values take this property of the dangerous substances and the resulting exposure into consideration only in proportion to their permissible concentration in the air, Value disclosed in Directive 2000/39/EC

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Industrial use	Inhalation	Acute systemic effects	1900 mg/m <sup>3</sup>
	Industrial use	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Industrial use	Skin contact	Long-term systemic effects	343 mg/kg
1-methoxy-2-propanol	Workers	Inhalation	Acute local effects	553,5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	369 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	183 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Intermittent use/release	2,75 mg/l
	Microbiological Activity in Sewage Treatment Systems	580 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
1-methoxy-2-propanol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	100 mg/l
	Intermittent use/release	100 mg/l
	Fresh water sediment	52,3 mg/kg
	Marine sediment	5,2 mg/kg
	Soil	4,59 mg/kg

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version 1.5	Revision Date: 25.11.2022	Date of last issue: 09.02.2021 Date of first issue: 26.09.2019	Print Date: 25.11.2022
----------------	------------------------------	---	---------------------------

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Type A (A)

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol  
Colour : yellow  
Odour : characteristic  
Odour Threshold : No data available  
Melting point/range : No data available  
Boiling point/boiling range : -42 °C (1.013 hPa)  
Flammability (solid, gas) : Not applicable  
Upper explosion limit / Upper flammability limit : 15 %(V)  
Lower explosion limit / Lower : 1,4 %(V)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

flammability limit

Flash point : -104 °C  
Method: Abel-Pensky

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6 (20 °C)  
Concentration: 100 %

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 21,5 mm<sup>2</sup>/s (40 °C)  
Not applicable

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : No data available

Relative density : 0,75 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,75 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.  
Risk of receptacle bursting.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Symptoms: Inhalation may provoke the following symptoms:,  
Respiratory disorder

Acute dermal toxicity : Symptoms: Redness, Local irritation

##### Components:

##### **ethanol:**

Acute oral toxicity : LD50 (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

Test atmosphere: vapour  
Method: OECD Test Guideline 403

### isobutane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### 1-methoxy-2-propanol:

Acute oral toxicity : LD50 Oral (Rat): 7.120 mg/kg

### pentane-2,4-dione:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg  
Method: Converted acute toxicity point estimate

Assessment: The component/mixture is moderately toxic after single ingestion.

### methyl salicylate:

Acute oral toxicity : Acute toxicity estimate: 890 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Assessment: The component/mixture is moderately toxic after single ingestion.

### cinnamaldehyde:

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

## Skin corrosion/irritation

### Product:

Remarks : Irritating to skin.

### Components:

#### ethanol:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### cinnamaldehyde:

Result : Skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### Serious eye damage/eye irritation

#### Product:

Remarks : Irritating to eyes.

#### Components:

##### ethanol:

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

##### cinnamaldehyde:

Result : Eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### ethanol:

Species : Mouse  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

##### cinnamaldehyde:

Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### ethanol:

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version 1.5	Revision Date: 25.11.2022	Date of last issue: 09.02.2021 Date of first issue: 26.09.2019	Print Date: 25.11.2022
----------------	------------------------------	---	---------------------------

Result: negative

### Carcinogenicity

#### Product:

Remarks : No data available

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### STOT - single exposure

#### Components:

##### ethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### 1-methoxy-2-propanol:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

#### Components:

##### ethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### ethanol:

Species : Rat, female  
NOAEL : 1.730 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### ethanol:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.  
Possible risk of irreversible effects.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### ethanol:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.220 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6.300 mg/l  
Exposure time: 48 d  
Species: Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **ethanol:**

Biodegradability : Test Type: aerobic  
Result: Readily biodegradable.  
Kinetic:  
28 d: 97 %  
Method: OECD Test Guideline 301B

##### **1-methoxy-2-propanol:**

Biodegradability : Result: rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **ethanol:**

Bioaccumulation : Bioconcentration factor (BCF): 3,2  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Partition coefficient: n- : log Pow: -0,35 (20 °C)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

octanol/water Method: OECD Test Guideline 117

### **isobutane:**

Partition coefficient: n-octanol/water : log Pow: 2,88  
Method: OECD Test Guideline 107

### **propane:**

Partition coefficient: n-octanol/water : log Pow: 2,36

### **1-methoxy-2-propanol:**

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-octanol/water : log Pow: 0,37

## 12.4 Mobility in soil

### **Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Components:**

#### **ethanol:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied  
16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1950  
ADR : UN 1950  
RID : UN 1950  
IMDG : UN 1950  
IATA : UN 1950

### 14.2 UN proper shipping name

ADN : AEROSOLS  
ADR : AEROSOLS  
RID : AEROSOLS  
IMDG : AEROSOLS  
IATA : Aerosols, flammable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### 14.3 Transport hazard class(es)

<b>ADN</b>	:	2
<b>ADR</b>	:	2
<b>RID</b>	:	2
<b>IMDG</b>	:	2.1
<b>IATA</b>	:	2.1

### 14.4 Packing group

<b>ADN</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Labels	:	2.1

<b>ADR</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Labels	:	2.1
Tunnel restriction code	:	(D)

<b>RID</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Hazard Identification Number	:	23
Labels	:	2.1

<b>IMDG</b>		
Packing group	:	Not assigned by regulation
Labels	:	2.1
EmS Code	:	F-D, S-U

<b>IATA (Cargo)</b>		
Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ)	:	Y203
Packing group	:	Not assigned by regulation
Labels	:	Flammable Gas

<b>IATA (Passenger)</b>		
Packing instruction (passenger aircraft)	:	203
Packing instruction (LQ)	:	Y203
Packing group	:	Not assigned by regulation
Labels	:	Flammable Gas

### 14.5 Environmental hazards

<b>ADN</b>		
Environmentally hazardous	:	no

<b>ADR</b>		
Environmentally hazardous	:	no

<b>RID</b>		
Environmentally hazardous	:	no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

: P5c

P2

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous sub- P3a FLAMMABLE AEROSOLS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

stances.

18 Liquefied extremely flammable gases (including LPG) and natural gas

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 67,12 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety  
44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H220 : Extremely flammable gas.  
H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H280 : Contains gas under pressure; may explode if heated.  
H302 : Harmful if swallowed.  
H312 : Harmful in contact with skin.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.

### Full text of other abbreviations

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

- Note U (table 3.1) : stance is a specific isomer or a mixture of isomers.  
: When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
- 2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
- HU OEL : Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values
- 2000/39/EC / TWA : Limit Value - eight hours
- 2000/39/EC / STEL : Short term exposure limit
- HU OEL / TWA : Mean concentration
- HU OEL / CEIL : Peak concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 661

Version	Revision Date:	Date of last issue: 09.02.2021	Print Date:
1.5	25.11.2022	Date of first issue: 26.09.2019	25.11.2022

### Classification of the mixture:

Aerosol 1

H222, H229

### Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.